

**From:** [Turner, Philip](#)  
**To:** [Enders, Jhana](#)  
**Cc:** [Ojeda Jose](#); [Ruhl, Christopher](#)  
**Subject:** Re: Confirmation Air Sampling  
**Date:** Friday, January 6, 2017 11:09:44 AM

---

I found a NIOSH method 6002 for Phosphine... is that it?

---

**From:** Enders, Jhana  
**Sent:** Thursday, January 5, 2017 3:34 PM  
**To:** Turner, Philip  
**Cc:** Ojeda Jose; Ruhl, Christopher  
**Subject:** Fwd: Confirmation Air Sampling  
Sent from my iPad

Begin forwarded message:

**From:** "Ojeda, Jose" <[Jose.Ojeda@WestonSolutions.com](mailto:Jose.Ojeda@WestonSolutions.com)>  
**Date:** January 5, 2017 at 12:01:06 PM CST  
**To:** "Enders, Jhana" <[Enders.Jhana@epa.gov](mailto:Enders.Jhana@epa.gov)>  
**Subject:** Confirmation Air Sampling

Here's what I'm looking at for confirmation air sampling: VOCs (Summas), Pesticide, and Phosphine analysis (either NIOSH 6003 or OSHA 1003). Will need Jon Rauscher to decide which method is needed.



**José L. Ojeda**

Senior Project Leader – START

Weston Solutions, Inc.

3900 Dallas Pkwy, Suite 175

Plano, TX 75093-7805

Direct: (469) 666-5506 • Cell: (619) 417-3298 • Office: (469) 666-5500 • Fax:  
(469) 666-5540

[Jose.Ojeda@westonsolutions.com](mailto:Jose.Ojeda@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or

proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.